



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/009,983	03/22/2002	Bradford Craig Starkie	A-71191 (461124-25)	3791
7590 Dorsey & Whitney LLP US Bank Center 1420 Fifth Avenue Suite 3400 Seattle, WA 98101-4010			EXAMINER SKED, MATTHEW J	
			ART UNIT	PAPER NUMBER
			2626	
			MAIL DATE	DELIVERY MODE
			09/22/2009	PAPER

## NOTICE OF DRAWING INCONSISTENCY WITH SPECIFICATION

(3-22-02 & 2-23-06)

The drawings filed 3-22-02 & 2-23-06 have been received. However, an inconsistency exists between the drawings and the Brief Description of the Drawings in the specification.

Figures \_\_\_\_\_ are listed in the Brief Description of the Drawings in the specification but not contained in the Drawings.

Figures 10 are contained in the Drawings but not listed in the Brief Description of the Drawings in the specification.

Applicant is required to correct the above-noted inconsistency within a time period of **ONE MONTH or THIRTY (30) DAYS, whichever is longer**, from the mailing date of this Notice, or within the time remaining in the time period set forth in the Notice of Allowability (Form PTOL-37) to file corrected drawings, whichever is longer. **NO EXTENSION OF THIS TIME PERIOD MAY BE GRANTED UNDER EITHER 37 CFR 1.136 (a) OR (b).**

Failure to correct the above noted inconsistency will result in abandonment of the application.

The file will be held in the Publishing Division to await the correction of the inconsistency.

### Return Corrected Drawings/Specification to:

Mail Stop Issue Fee  
Commissioner for Patents  
P.O. Box 1450  
Alexandria, VA 22313-1450

571-272-4200 or 1-888-786-0101  
Application Assistance Unit  
Office of Data Management